

# 维生素 AD<sub>3</sub> 微粒 50/10万IU/g CWS GF

## Vitamin AD<sub>3</sub> 500/100 CWS GF



CAS号码 / CAS No: 127-47-9, 67-97-0

单位换算 / Conversion factors: 0.344µg vitamin A acetate = 1 IU  
0.025µg vitamin A acetate = 1 IU

### 应用:

- 用于动物预混料和配合饲料中, 来维持上皮细胞的正常功能和结构完整性, 维持正常视觉、动物繁殖性能和提高免疫功能, 促进钙、磷元素的吸收

### Application:

- Used in animal premix and compound feed, to maintain the normal function of the epithelial cells and structural integrity, maintain normal visual reproductive performance, and enhance immune function, promote the absorption of calcium, phosphorus element



19

变性淀粉体系产品目录  
Products Coated With  
Modified Starch



### 物理性质 / Physical Properties

分子式 Molecular Formula	C <sub>28</sub> H <sub>46</sub> O <sub>2</sub>	分子量 Molecular Weight	328.49
	C <sub>27</sub> H <sub>44</sub> O		384.7
结构式 Molecular Structure			

### 分析规格 / Analytical Specifications

外观 / Appearance	棕黄色至棕褐色微囊 Brownish yellow to brownish microcapsule		
含量 / Assay	Vitamin A: ≥ 500,000 IU/g	重金属 / Heavy Metal	≤ 10mg/kg
	Vitamin D <sub>3</sub> : ≥ 100,000 IU/g		砷 / Arsenic
检测方法 / Test method	HPLC	铅 / Pb	≤ 2mg/kg
干燥失重 / Loss on Drying	≤ 5.0%		
筛分分析 / Sieve Analysis	100%通过20目 (US)		
	100% through Sieve No.20 (US)		

### 建议添加量 / Recommendations for supplementation

添加量 (IU/kg配合饲料) IU per kg compound feed	蛋鸡 Laying hens	肉鸡 Broilers	小猪 Piglet starter	成年猪 Swine	三文鱼 Trout and salmon	奶牛 Dairy cows	肉牛 Fattening cattle
	8000-12000				7000-9000	10000-12000	10000-12000

- 包装: 25公斤/纸箱、25公斤/纸袋
- 保质期: 12个月
- 贮存条件: 本品对潮湿, 空气, 热和光敏感。原包装中密封保存。一旦开封, 尽快使用。贮存于阴凉、干燥处

- Packaging: 25kgs/carton, 25kgs/paper bag
- Shelflife: 12 months after production date
- Storage recommendation: Sensitive to moisture, oxygen, heat and light. It should be store in the original unopened containers. Once opened, use contents quickly. Keep in shade and dry places